Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method of enabling to identify a specific <u>broadcast driven</u> group of peers among multiple groups of peers on a peer-to-peer network, the method comprising:

providing a specific identifier of multiple identifiers for linking a content broadcast to the specific group of peers; and

deriving <u>at an end-user site</u> the specific identifier (i) from a further identifier <u>embedded in a broadcast stream of the content broadcast in response to a reception of the content broadcast or (ii) from a further identifier embedded in an electronic program guide (EPG) in response to selecting the content broadcast from the EPG, the further identifier being representative of the content broadcast,</u>

——wherein the further identifier comprises a TV-anytime Content Reference Identifier, and

——wherein the TV-anytime Content Reference Identifier is resolved into a peer group ID as part of the step of deriving; and

responsive to deriving the specific identifier, enabling a connection to the specific group of peers via the peer-to-peer network within a context of the content broadcast.

- 2-7. (Canceled).
- 8. (Currently Amended) A method of identifying a specific <u>broadcast driven</u> group of peers among multiple groups of peers on a peer-to-peer network, the method comprising:

providing a specific one of multiple identifiers for linking a content broadcast to the specific group of peers;

deriving <u>at an end-user site</u> the specific identifier of a specific group of peers on a peer-to-peer network (i) from a further identifier <u>embedded in a broadcast stream of the content broadcast in response to a reception of the content broadcast or (ii) from a further identifier embedded in an electronic program guide (EPG) in response to a selection of the content broadcast from the EPG, the further identifier being representative of the content broadcast, said further identifier comprising a TV-anytime Content Reference Identifier, by resolving the TV-anytime Content Reference Identifier into a peer group ID; and</u>

linking <u>within a context of</u> the content broadcast to the specific group of peers using the specific one of multiple identifiers.

9-14. (Canceled).

15. (Currently Amended) An apparatus configured to identify a specific broadcast driven group of peers among multiple groups of peers for use on a peer-to-peer network and operative to:

provide a specific one of multiple identifiers for linking a content broadcast to the specific group of peers;

derive the specific identifier of a specific group of peers on a peer-to-peer network (i) from a further identifier embedded in a broadcast stream of the content broadcast in response to a reception of the content broadcast or (ii) from a further identifier embedded in an electronic program guide (EPG) in response to a selection of the content broadcast from the EPG, the further identifier being representative of the content broadcast, the further identifier comprising a TV-anytime Content Reference Identifier, by resolving the TV-anytime Content Reference Identifier into a peer group ID; and

link <u>within a context of</u> the content broadcast to the specific group of peers using the specific one of multiple identifiers.

16-18. (Canceled).

19. (Currently Amended) A computer-readable medium having stored thereon control software for causing a data network apparatus to identify a specific broadcast driven group of peers among multiple groups of peers for use on a peer-to-peer network and operative to:

provide a specific one of multiple identifiers for linking a content broadcast to the specific group of peers;

derive the specific identifier of a specific group of peers among multiple groups of peers on data peer-to-peer network[[,]] (i) from a further identifier embedded in a broadcast stream of the content broadcast in response to a reception of the content broadcast or (ii) from a further identifier embedded in an electronic program guide (EPG) in response to a selection of the content broadcast from the EPG, the further identifier being representative of the content broadcast, the further identifier comprising a TV-anytime Content Reference Identifier, by resolving the TV-anytime Content Reference Identifier into a peer group ID; and

link <u>within a context of</u> the content broadcast to the specific group of pears <u>peers</u> using the specific one of multiple identifiers.

20-21. (Canceled).